

92Y ART CENTER

GILDA AND HENRY BLOCK SCHOOL OF THE ARTS

Projects in Classical Goldsmithing - Remote Learning
vannibale@92y.org

Session 1: Hollow Bead

27gauge 22K custom alloyed gold, approx 1inch by 2inch

Solder for Gold: 20K Soft/Easy 20K Hard

If you intend to apply granulation to the surface of your bead, an **Ultralite Beehive Kiln** will be useful.

Granulation Supplies <ul style="list-style-type: none">• Granulation brush fine point Sable #0 from art supply store• Small plastic cup w/lid• Small shallow copper dish/bowl• Small Pyrex dish/bowl• Titebond Hide glue• Liquid Yellow Flux	Optional <ul style="list-style-type: none">• Soldering pad• 3M Polishing Paper Asst (Rio # 337-308)• Flat hand file # 0 (6" long)• Split mandrel for flexible shaft (#333-130 Rio)• EVE silicone polishers kit (Rio # 3326171)• Flux brush
---	--

Supplies

- Charcoal Block 2 3/4 x 5.5 long life Pana brand (item# 502-027 @ Rio)
- Economy Charcoal Block, also
- 6inch/15cm Steel Ruler
- Brass sliding gauge or Calipers (either digital or analog)
- Dividers
- Solder snips (Joyce Chen unlimited scissor)
- Sharpie permanent marker fine point and ultra fine (Black)
- Saw blades #2/0, #4/0, #6/0
- Emery paper, 1 sheet ea: 320, 400, 600
- Barrette file # 2 (4" long)
- Half round ring file # 2 (6" long)
- Safety glasses and/or Optivisor or MegaView
- Tweezers: x-tra fine straight flat, cross locking w/fiber grips curved & straight (Item #115-050 115-051 Rio) steel utility (Rio # 115-100)
- Solder pick
- Screw mandrels for flex shaft
- Rawhide Mallet, 2.5 inch x 1.25 inc, 4oz (Head Dimensions and Weight)
- Needle file assortment (cut #2 or #4 Preferably Swiss)
- Pliers: small chain nose toothless, round nose smallest @ Allcraft, flat pliers,
- Lindstrom 8151 Flush Cutters (Rio # 111421)

92Y ART CENTER

GILDA AND HENRY BLOCK SCHOOL OF THE ARTS

Projects in Classical Goldsmithing - Remote Learning
vannibale@92y.org

Session 2: Viking Twist Ring Exploration

7-8 inch lengths of 12 gauge, 14 gauge, 16 gauge, 24 gauge wires in 22K custom alloyed gold
Solder for Gold: 20K Soft/Easy 20K Hard

Supplies

- Charcoal Block 2 3/4 x 5.5 long life Pana brand (item# 502-027 @ Rio)
- Economy Charcoal Block, also
- Peddinghaus Planishing Hammer, 6oz
- Hand Drill
- 6inch/15cm Steel Ruler
- Brass sliding gauge or Calipers (either digital or analog)
- Dividers
- Solder snips (Joyce Chen unlimited scissor)
- Sharpie permanent marker fine point and ultra fine (Black)
- Saw blades #2/0, #4/0, #6/0
- Emery paper, 1 sheet ea: 320, 400, 600
- Barrette file # 2 (4" long)
- Half round ring file # 2 (6" long)
- Safety glasses and/or Optivisor or MegaView
- Tweezers: x-tra fine straight flat, cross locking w/fiber grips curved & straight (Item #115-050 115-051 Rio) steel utility (Rio # 115-100)
- Solder pick
- Screw mandrels for flex shaft
- Rawhide Mallet, 2.5 inch x 1.25 inc, 4oz (Head Dimensions and Weight)
- Needle file assortment (cut #2 or #4 Preferably Swiss)
- Pliers: small chain nose toothless, round nose smallest @ Allcraft, flat pliers,
- Lindstrom 8151 Flush Cutters (Rio # 111421)

92Y ART CENTER

GILDA AND HENRY BLOCK SCHOOL OF THE ARTS

Projects in Classical Goldsmithing - Remote Learning
vannibale@92y.org

Session 3: Granulation and Granulation Cheats

27gauge 22K custom alloyed gold, approx 1inch x 1inch

5 inches of 22gauge round wire

Solder for Gold: 20K Soft/Easy 20K Hard

If you intend to apply granulation to the surface of your work, an **Ultralite Beehive Kiln** will be useful.

Granulation Supplies <ul style="list-style-type: none">• Granulation brush fine point Sable #0 from art supply store• Small plastic cup w/lid• Small shallow copper dish/bowl• Small Pyrex dish/bowl• Titebond Hide glue• Liquid Yellow Flux	Optional <ul style="list-style-type: none">• Soldering pad• 3M Polishing Paper Asst (Rio # 337-308)• Flat hand file # 0 (6" long)• Split mandrel for flexible shaft (#333-130 Rio)• EVE silicone polishers kit (Rio # 3326171)• Flux brush
---	--

Supplies

- Charcoal Block 2 3/4 x 5.5 long life Pana brand (item# 502-027 @ Rio)
- Economy Charcoal Block, also
- Round Tungsten Carbide Drawplate, 2.8mm-.26mm
- Needle nose pliers for pulling wire thru the drawplate
- 6inch/15cm Steel Ruler
- Brass sliding gauge or Calipers (either digital or analog)
- Dividers
- Solder snips (Joyce Chen unlimited scissor)
- Sharpie permanent marker fine point and ultra fine (Black)
- Saw blades #2/0, #4/0, #6/0
- Emery paper, 1 sheet ea: 320, 400, 600
- Half round ring file # 2 (6" long)
- Safety glasses and/or Optivisor or MegaView
- Tweezers: x-tra fine straight flat, cross locking w/fiber grips curved & straight (Item #115-050 115-051 Rio) steel utility (Rio # 115-100)
- Solder pick
- Screw mandrels for flex shaft
- Rawhide Mallet, 2.5 inch x 1.25 inc, 4oz (Head Dimensions and Weight)
- Needle file assortment (cut #2 or #4 Preferably Swiss)
- Lindstrom 8151 Flush Cutters (Rio # 111421)